

Early Learning/Child Care Facility Feasibility Checklist

(for family home and center programs)

This checklist may be used when considering a building's feasibility of meeting licensing requirements for a family home child care or a child care center. It includes general requirements related to the physical space, but does not include every requirement. Please refer to the Foundational Quality Standards for Early Learning Programs (Chapter 110-300 WAC) https://apps.leg.wa.gov/wac/default.aspx?cite=110-300 to review the licensing requirements in full detail. To determine if the building meets local building and fire codes, contact your local building official.

To learn more about becoming a licensed child care provider, contact the Department of Children, Youth, and Families' child care licensing office in your area. A list of child care licensing offices and contact information can be found here: https://www.dcyf.wa.gov/find-an-office/el-offices

General indoor program space Clean, sanitary and well-maintained - WAC 110-300-0240 35 sq. feet per child; additional 15 sq. feet per infant and toddler - WAC 110-300-0354, 0355 Temperature (68-82° F) - WAC 110-300-0165(4) Exits - WAC 110-300-0166 (For center: also refer to Office of State Fire Marshal's child care center checklist) For center: classroom or well-defined space for each group of children - WAC 110-300-0356 Supervision - WAC 110-300-0345 Other	Outdoor play area - WAC 110-300-0145 Route - safe and reachable method Fence/self-closing & self-latching gate 75 sq. feet per child/alternate plan Shaded areas Two exits (one away from building) Supervision - WAC 110-300-0345, -0350 Swimming pools/water hazards - WAC 110-300-0175 Other		
Safe water sources - WAC 110-300-0235, -0165(4) Hot and cold running water Water accessible to children - not hotter than 120° F Water from fixtures used for food prep or infant formula, drinking, or cooking - tested for lead and copper Private well - comply with WAC 173-60 Private well water - tested for E. coli bacteria and nitrates Other	Private septic system - WAC 110-300-0250 Septic approval, as built, design, location and maintenance plan Septic system pumping and inspection Playground not to interfere with access to, or operation of, private septic system including the drain field and tanks Other		
Electrical - WAC 110-300-0165(5) Electrical outlets - tamper resistant or blank cover plate in areas accessible to children Electrical outlet near water source - GFCI outlet type & inaccessible to children/tamper resistant Extension cords - temporary use only & not replace direct wiring Other	Stairways - WAC 110-300-0165(4)(f) Must meet local building codes Inaccessible to infants and toddlers when not in use Handrail with slats (balusters) - openings between slats not large enough to allow a sphere that is 3 ½ inch wide to pass through Other		
Windows - WAC 110-300-0165(2)(b)(4)(b) 3 ½" opening/barrier if within reach of children, except emergency exit window in family home Cords on window blind or window covering/no loops Other	Platforms and decks - WAC 110-300-0165(4)(g) Must meet local building codes Drop zone of more than 18 inches must have guardrails in sections without steps Other		

Furnace and heating devices - WAC 110-300-0170(3)(b) (f) Inaccessible to children No portable heaters or generators used inside program space during operating hours Fire place, wood stove or other wood burning device - annual inspection or annual declaration that not using Other	Lighting - WAC 110-300-0165(4)(c) Natural/artificial light to illuminate licensed space Light fixtures - shatter-resistant covers or light bulbs Free standing lamps attached or secured No halogen lamps or bulbs Other		
Diaper changing area - WAC 110-300-0221	Bathrooms - WAC 110-300-0220		
Separate from food prep, service and storage areas Sink – within arm's reach or readily accessible, and not used for food preparation and clean up Sturdy surface or mat – moisture resistant, cleanable On washable, moisture resistant material that horizontally and vertically surrounds and extends at least 2' from diaper changing and handwashing area For center: must have designated diaper changing	Other At least one indoor bathroom in licensed space with one toilet, sink & faucet with warm running water For center: one toilet and one sink & faucet for every 15 children and staff Toilets/sinks/faucets - appropriate height and size for enrolled children (platform may be used) Toilet paper dispenser for each toilet at appropriate height		
area for each classroom or for every age grouping of children who require diapering For family home: only one diaper changing area is required Diaper changing station - WAC 110-300-0221(2) Other	Operable window or exhaust fan Easily cleanable, moisture resistant flooring Privacy needs Other		
Laundry and equipment - WAC 110-300-0245 Inaccessible to children Separated from areas where food is prepared Dryer - vented to outside/follow manufacturer's specs Other	Bathtub or shower - WAC 110-300-0220 Must have consent from child's parent Area is resistant to slipping or has a grab bar For center: Inaccessible to children when not in use Other		
Food preparation area - WAC 110-300-0198 At least 8' from any diaper changing tables, counters and sinks used for diaper changing Walls, counter tops, floors, cabinets and shelves - moisture resistant, properly sealed Vented range hood, exhaust fan or operable window Refrigerator/freezer Dishwashing method For center: - handwashing sink separate from dishwashing facilities - food prep sink located in food prep area - 2- or 3-compartment sink (dishwashing) Other	Bottle preparation area - WAC 110-300-0280 At least 8' from any diaper changing tables, counters and sinks used for diaper changing or by physically separated with a barrier that meets requirements Include a sink (water from a handwashing sink or diaper changing sink may not be used for bottle prep) Other		
Storage Children's individual belongings - WAC 110-300-0140 Staff's personal belongings - WAC 110-300-0120 Professional materials - WAC 110-300-0120 Food - WAC 110-300-0197 Hazardous & maintenance supplies - WAC 110-300-0260 Other	Drinking fountains - WAC 110-300-0236 ☐ If attached to handwashing sink must be disabled ☐ Not located in bathrooms ☐ Not be a bubble type fountain (water flow must form an arch) ☐ Located above water impervious flooring ☐ Other		